

NOVA LUCE

OUTDOOR
COLLECTION
2022 | 23



01

FLOOR & WALL
p. 008

02

CEMENT WALL & FLOOR
p. 090

03

WALL SOLAR
& SENSOR
p. 108

04

WALL
p. 114

05

SPIKES
p. 154

06

CEILING
p. 164

07

SPOT
p. 174

08

PORTABLE
p. 178

09

STEP LIGHTS
p. 196

10


PORTABLE
p. 178



FLOOR & WALL




NEW



MABEL • 9002869
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 590Lm
 3000K 220-240 Volt
 Beam Angle 36° IP54
 Dimension of cable 64 cm
 L: 7.8 W: 7.8 H: 150 cm



NEW



MABEL • 9002870
 Black Aluminium
 & Clear Glass
 LED 17 Watt 1190Lm
 3000K 220-240 Volt
 Beam Angle 36° IP54
 Dimension of cable 35 cm
 L: 48.9 W: 20.1 H: 201.2 cm





ADURO - 9002871
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 35 cm



ADURO - 9002872
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 65 cm



NEW



TIEN • 9002878
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 25 cm



NEW



TIEN • 9002879
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 65 cm



NEW



MINOT • 9026125
Black Aluminium
& Acrylic
LED 12 Watt 716Lm 3000K
280mA 100-240V
Beam Angle 122° IP54
L: 15 W: 9.5 H: 70 cm



NEW



TALA - 9026121

Black Aluminium
& Clear Glass
LED 9 Watt 468Lm 3000K
260mA 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm



NEW



TALA - 9026122

Black Aluminium
& Clear Glass
LED 9 Watt 468Lm 3000K
260mA 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm



IP54



FOCUS • 9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



FOCUS • 9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




FOCUS • 9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO - 9291701
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 20 H: 14.6 cm




RAMO - 9291702
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 14.6 H: 60 cm



IP65



RAMO - 9291703
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 21 H: 60 cm






IP65

NEW



ELLERY - 9100917

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 60 cm




NEW



ELLERY - 9100918

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 80 cm




NEW



ELLERY - 9100916

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 36 cm






IP54




NEW



PORTAL - 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm




NEW



PORTAL - 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm






IP54



NED - 9104021



Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 960Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm



Rotating

VOLVEL - 9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm




Rotating



NED - 9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



VOLVEL - 9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



IP54




IP65



SURF - 9176101
Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm

LED IP65 WARM WHITE



SURF - 9176102
Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm

LED IP65 WARM WHITE






IP54



PAX - 9756800
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm




PAX - 9756500
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm







BLISS • 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm




BLISS • 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm




ACQUA • 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm



ACQUA • 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm







Rotating



TWIN • 713121
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm
3000K 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 60 cm




Rotating




TWIN • 713122
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm
3000K 220-240 Volt 50Hz
Rotation 0-90° IP54
L: 20 W: 10 H: 10 cm



IP54



NEW



OFIR • 9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
D: 8 W: 7 H: 16 cm



NEW



OFIR • 9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 9.3 W: 16 H: 50 cm



NEW



OFIR • 9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 9.3 W: 16 H: 75 cm





IP65



NEW




POET - 9492780

Anthracite die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm
3000K 220-240V
Beam Angle 90° IP65
L : 23.5 W: 10 H: 65 cm



NEW



POET - 9492770

Anthracite die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm
3000K 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm






Charging time: 4-6hrs
Working hours: 12 hours
Sensing distance :between 5-8 meters




NEW



BERO • 9060201
Gray Aluminium
Acrylic Diffuser
LED 1.5W Watt 96Lm
CCT 3000K/4000K/6000K 5 Volt
Beam Angle 120° IP65
L: 10 W: 5.5 H: 26 cm



NEW



BERO • 9060198
Gray Aluminium
Acrylic Diffuser
LED 1.5W Watt 96Lm 3.7 Volt
Blue light strip: 0.3W
CCT 3000K/4000K/6000K
Beam Angle 120° IP65
L: 10 W: 5.5 H: 80 cm





PARK - 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 9 W: 14.5 H: 18 cm



PARK - 713124


Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 700Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 22 H: 80 cm



PARK - 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 12 H: 80 cm







POSEN • 9131201
Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm
3000K 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 5 cm



ENZI • 9936101
Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm
3000K 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 7 cm



POSEN • 9131202
Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm
3000K 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 65 cm




ENZI • 9936102
Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm
3000K 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 80 cm






APOLLO - 713411

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




APOLLO - 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54





IP54




SUITE . 859439
White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




SUITE . 9297191
Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE . 859438
Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE . 9207167
Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



SUITE . 9207168
Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm


IP54





IP65

NEW



BRIGITTA - 9020929
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 501.50Lm
3000K 100-240V IP65
L: 12 W: 13.6 H: 60 cm




NEW



BRIGITTA - 9020930
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 515.08Lm
3000K 100-240V IP65
L : 12 W: 15.5 H: 40 cm




NEW



BRIGITTA - 9020928
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 503.66Lm
3000K 100-240V IP65
L: 12 W: 8.3 H: 20.8 cm



NEW




BRIGITTA - 9020931
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 526.18Lm
3000K 100-240V IP65
L : 12 W: 15.5 H: 80 cm




IP65





IP65



BRIGITTA - 9020925

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 341.27Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm



NEW



NEW




BRIGITTA - 9020921

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 334.86Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



NEW




BRIGITTA - 9020922

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301.15Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm





NEW




BRIGITTA - 9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571.53Lm
3000K 220-240V IP65
L: 12 W: 9.4 H: 15 cm



NEW




BRIGITTA - 9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590.66Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 40 cm



NEW



BRIGITTA - 9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571.36Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 80 cm



IP65





DEVORA - 822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm




DEVORA - 826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm




NEW

STARK - 9492660
Anthracite die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 W: 16 H: 14.6 cm





NEW




STONE . 9002850
 White Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 15 H: 23 cm



IP54

NEW




STONE . 9002851
 Black Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 15 H: 23 cm



NEW



NEW



STONE . 9002860
 Black Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 12 H: 65 cm





AGOSTO - 9207615
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 D: 11 W: 11 cm



AGOSTO - 9207616
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 L: 11 W: 11 H: 11 cm



MAX - 9026002
 Dark Gray ABS
 Clear & White Acrylic
 LED 12 Watt 630Lm
 3000K 200-240 Volt
 Beam Angle 120° IP65
 D: 16 W: 10 H: 16 cm



MAX - 9026001
 Dark Gray ABS &
 Clear & White Acrylic
 LED 12 Watt 630Lm
 3000K 200-240 Volt
 Beam Angle 120° IP65
 L: 16 W: 10 H: 16 cm




AGOSTO - 9277151
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 D: 11 H: 50 cm






PYRO - 9209211
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



PYRO - 9209212
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54






STICK - 713412
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm




STICK - 71371102
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm




IP54




STICK - 71371101
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm






NOTEN - 9905023
Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 20 cm

LED IP65 WARM WHITE



NOTEN - 9905022
Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 40 cm

LED IP65 WARM WHITE



NOTEN - 9905021
Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 80 cm


LED IP65 WARM WHITE




IP65



ROCK - 9905025
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



ROCK - 9905024
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm



IP54

NEW





TALA • 9026123
Black Aluminium
& Acrylic
LED 12 Watt 409Lm 3000K
280mA 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm



NEW




TALA • 9026124
Black Aluminium
& Acrylic
LED 12 Watt 409Lm 3000K
280mA 100-240V
Beam Angle 180° IP54
D: 13.5 H: 70 cm



NEW




CETERA - 9002873
Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



NEW



CETERA - 9002874
Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 50 cm




IP54

NEW




CETERA - 9002875
Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 90 cm





IP65

NEW




ZOSIA - 9060181
Dark Grey Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 12 H: 25 cm




NEW



ZOSIA - 9060182
Dark Grey Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 50 cm



NEW



ZOSIA - 9060183
Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 80 cm





IP65

NEW



FERRON - 9060184

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 50 cm




NEW




FERRON - 9060185

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Blub Excluded IP65
L: 13 W: 13 H: 80 cm




LOCK - 813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 220-240 Volt 50Hz
960Lm Beam 45° IP54
3000K or 4000K
AC Driver Included
L: 13.5 W: 16 H: 20 cm



LOCK - 813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 220-240 Volt 50Hz
960Lm Beam 45° IP54
3000K or 4000K
AC Driver Included
L: 13.5 W: 13.5 H: 50 cm



IP54






IP65

NEW



SELENA - 9492720

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm




NEW



SELENA - 9492740

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm



NEW



SELENA - 9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 65 cm





NEW




SELENA - 9492750

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 8.5 W: 8.5 H: 65 cm







ZEST • 870026
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm



LOEVE • 9193101
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm



LOEVE • 9193102
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm



ZEST • 870045
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm






NEW



FIGO - 9060192
Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 15 H: 24.5 cm




NEW



FIGO - 9492500
Anthracite Aluminium
Die-casting & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 14.5 W: 20.5 H: 43 cm



NEW



FIGO - 9060193
Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 11 H: 50 cm





NEW



SORREN - 9197701

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm




REGINA - 9492442

Anthracite Aluminium Die-casting
& Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm



SORREN - 9197702

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt IP65
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




NEW



REGINA - 9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




NEW



REGINA - 9492710

Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm



IP65




NEW



OMIKA • 9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 37 cm




NEW



OMIKA • 9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 88.5 cm




IP54

NEW



OMIKA • 9060196

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 97 cm




NEW



OMIKA • 9060194

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP54**
D: 15 W: 18.5 H: 28 cm





IP54



ISIDORA • 870426
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 25 W: 27 H: 40 cm



ISIDORA • 870445
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 22 H: 95 cm



CEMENT WALL & FLOOR






IP65




NEW



BEV • 9540214
Gray Cement
Glass Diffuser & Mirror
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 17 W: 17 H: 20 cm




NEW



BEV • 9540215
Gray Cement
Glass Diffuser & Mirror
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 35 cm



NEW




BEV • 9540216
Gray Cement
Glass Diffuser & Mirror
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 70 cm



IP65


NEW



CAIRO - 9540217
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm





NEW




CAIRO - 9540218
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm






CASTRO - 9762161
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65 IP65
L: 16 W: 16 H: 16 cm



CASTRO - 9762162
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65 IP65
L: 16 W: 16 H: 16 cm



CASTRO - 9739351
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65 IP65
L: 20 W: 20 H: 35 cm



CASTRO - 9739352
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65 IP65
L: 20 W: 20 H: 35 cm



IP65



NEW



EGYPT - 9540213
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 16 W: 15 H: 50 cm

NEW



EGYPT - 9540212
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 15 W: 14 H: 70 cm

NEW



EGYPT - 9540211
Gray Cement
Glass Diffuser
LED 2x5 Watt 850Lm
3000K 120-230V IP65
L: 13 W: 14.5 H: 70 cm






IP65




GRANTE • 9790021

Gray Concrete & Aluminium
LED 1x5 Watt 365Lm 3000K
220-240 Volt 50Hz IP65
L: 12 W: 12 H: 53 cm



GRANTE • 9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt IP65
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm




NEW



BARCO • 9540207

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



NEW



BARCO • 9540208

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm





FOX - 9470582

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



FOX - 9470581

Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm




IP65






FUENTO . 9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO . 9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm




IP65

NEW



EMILE . 9540209

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 9 W: 9.7 H: 11.2 cm



NEW



EMILE • 9540210

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 W: 9.7 H: 11.2 cm



IP65



LIDO • 9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO • 9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO • 9790521

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



LIDO • 9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



WALL SOLAR & SENSOR




NEW



SOLAR SENSOR

VALOR - 9492540

Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 104Lm
3000K DC 3.7V
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm




NEW



SOLAR SENSOR

PRIM - 9492510

Anthracite die-Casting
Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K DC 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm



IP65




NEW



SOLAR SENSOR

TREND - 9492520

Anthracite die-Casting Aluminium
& Clear Glass
LED 2 Watt 219Lm
3000K DC 3.7V
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm




NEW




SOLAR SENSOR


MARTA - 9492530

Anthracite die-Casting Aluminium
& Clear Glass
LED 1 Watt 57Lm
3000K DC 3.7V
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation
Max. distance 5M.(the temperature less than 20°C)
The lights need to be installed at least 1.5-2.5M.






Motion Sensor Activation
Max. distance 5M.(the temperature less than 20°C)
The lights need to be installed at least 1.5-2.5M.



LOVETO - 9120622

Dimmable


Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm
3000K 200-240 Volt
Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm



LOVETO - 9120621

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm
3000K 200-240 Volt
Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm



BAY - 9120711

Dimmable


Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 152Lm
3000K 200-240 Volt
Beam Angle 87° IP65
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm



DYN - 9190101

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm
3000K 200-240 Volt
Beam Angle 110° IP65
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm



IP65





WALL



IP54



IP65



IP54



VEIRO • 9104835
 Anthracite Die-Casting
 Aluminium & Clear Glass
 LED 6 Watt 440Lm 3000K
 200-240 Volt IP65
 Light up & Down
 Beam Angle 40°
 L: 9 W: 9.3 H: 20.5 cm

MILEY • 9202262
 Sandy Black Aluminium
 Clear Glass
 LED 6 Watt 397Lm 3000K IP54
 200-240 Volt IP54
 Light up & Down
 L: 7.4 W: 7.4 H: 13.6 cm



MILEY • 9202261
 Sandy White Aluminium & Glass
 LED 6 Watt 397Lm 3000K
 200-240 Volt IP54
 Light up & Down
 L: 7.4 W: 7.4 H: 13.6 cm

MILEY • 9202131
 Sandy White Aluminium & Glass
 LED 3 Watt 304Lm 3000K
 200-240 Volt IP54
 Light Down
 L: 8 W: 4 H: 12 cm






NEW



VIDENO • 9492590

Anthracite die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm




NEW




ZIRI • 9492570

Anthracite die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm




FUNGO • 9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 720Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm



FUNGO • 9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 720Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm




NEW



PURE • 9492560

Anthracite die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm







IP54




NEW




ARABELLA • 9026119
 White Aluminium
 & Clear Glass
 LED 6 Watt 327Lm 3000K
 135mA 100-240V
 Beam Angle 50° IP54
 L: 11 W: 9 H: 18 cm




CHEZ • 9259361
 White Aluminium & Glass
 LED 6 Watt 274Lm
 3000K 100-240 Volt
 Beam Angle 138° IP54
 Light Up & Down
 L: 13 W: 9 H: 7 cm



CHEZ • 9292211
 White Aluminium & Glass
 LED 2x5 Watt 560Lm
 3000K 100-240 Volt
 Beam Angle 90° IP54
 Light Up & Down
 L: 17 H: 8.5 H2: 14 cm



MILE • 9257871
 White Aluminium & Glass
 LED 9 Watt 475Lm
 3000K 100-240 Volt
 Beam Angle 155° IP54
 Light Up & Down
 L: 18 W: 11.5 H: 7.5 cm



MILE • 9262111
 White Aluminium & Glass
 LED 2x5 Watt 550Lm
 3000K 100-240 Volt
 Beam Angle 102° IP54
 Light Up & Down
 L: 18 W: 3.5 H: 9 cm






IP65

NEW



FEDOR . 9492630

Anthracite die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm




NEW



COMBO . 9492600

Anthracite die-Casting Aluminium
& Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm




NEW



GOA . 9192171

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm



NEW



CAPO . 9060199


Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 3 Watt Lm
3000K 220-240V IP65
L: W: H: cm





IP65

NEW



NEW




NEW




NEW




PARRIS - 9492620
Anthracite die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




SERIKA - 9492580
Anthracite die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
D: 11 W: 6 H: 11 cm




ZARO - 9492650
Anthracite die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
L: 9 W: 5.5 H: 10.2 cm



DEWI - 9492640
Anthracite die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
L: 11.8 W: 3.8 H: 9.7 cm



IP65



IP54




COMO . 741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm



COMO . 741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




SOHO . 740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm




SOHO . 740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm





SOHO . 740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



SOHO . 740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm





IP54



ZARI - 9226217

Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI - 9226216

Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI - 9226215

Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



ZARI - 9226214

Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



COMO - 726217

Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions




COMO - 852436

Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm
3000K 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions



IP54




IP54

Adjustable



AGILE - 833426
Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




Rotating



BRIN - 9160101
Anthracite Die-Casting Aluminium
Clear Glass
LED 10 Watt 298Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm




IP65






DARF • 9925666
Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm




DARF • 9925665
Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm
3000K 100-240 Volt 50Hz
Beam Angle 104° IP65
Light Down
D: 9.5 W: 10.5 H: 8.5 cm




IP65





NUS • 9200201
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 240Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Down
L: 13.2 W: 9 H: 6.9 cm




NUS • 9200202
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 480Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm







FOCUS - 752470
 Dark Gray Aluminium & Glass
 Osram LED 6 Watt 420Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 44° IP54
 L: 8.5 W: 14 H: 12 cm



VITORIA - 8401030
 Dark Gray Aluminium
 LED 6 Watt 300Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 120° IP65
 AC Driver Included
 L: 6.2 W: 12 H: 23.6 cm



GRAVITY - 810067
 Dark Gray Die-Casting Aluminium
 Acrylic Diffuser
 LED 12 Watt 660Lm
 3000K 220-240 Volt 50Hz
 Rotation IP54 P54
 D: 14 W: 4.8 H: 14 cm



PIER - 810066
 Dark Gray Die-Casting Aluminium
 Acrylic Diffuser
 LED 12 Watt 660Lm
 3000K 220-240 Volt 50Hz
 Rotation IP54
 L: 14 W: 4.8 H: 14 cm





IP54



↔
Adjustable
Beam Angle



COMO • 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle



COMO • 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle



COMO • 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle



COMO • 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm









AZAR - 9026116
Black Aluminium
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm

LED











DEWEI - 9026117
Black Aluminum
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm

LED











DEWEI - 9026118
White Aluminium
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm

LED







139



NERO • 710022
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm




NERO • 710021
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



NERO • 710042
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



NERO • 710041
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm



IP54



NERO • 910022
Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm



NERO • 910021
Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



NERO • 910042
Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



NERO • 910041
Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm






OVI . 9136182
Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 10 W: 11 H: 9 cm




NODUS . 773221
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 6.5 W: 10.4 H: 11 cm



NODUS . 773222
Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 6.5 W: 10.4 H: 11 cm



NODUS . 773223
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded Light Up & Down
D: 6.5 W: 10.4 H: 18 cm



NODUS . 773224
Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded Light Up & Down
D: 6.5 W: 10.4 H: 18 cm




LIMBIO . 9010601
White ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm



LIMBIO . 9010602
Black ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm



LIMBIO . 9010622
Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



LIMBIO . 9010621
White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm







IP65




LUPO • 9926617
Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm



KEEN • 9160081
Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



NEW



NOBU • 9060206
Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt Lm
3000K 220-240V IP65
L: W: H: cm



NEW



LETO • 9060203

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




NEW



LETO • 9060202

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm



NEW



LETO • 9060204

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm




NEW




LETO • 9060205

Sandy White Acrylic
LED 10 Watt 1200Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm







KEEN - 9270027
Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm




KEEN - 9270028
Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm



NEW



ZENON - 9492610
Anthracite die-Casting
Aluminium & Frost Acrylic
LED 10 Watt 558Lm
3000K 220-240V
Beam Angle 114° IP65
L: 18 W: 7.5 H: 9 cm





IP65



NEW

CAPE - 9492550
Anthracite die-Casting Aluminium
& Frost Acrylic & Clear Glass
LED 10 Watt 763Lm
3000K 220-240V
Beam Angle 112° IP65
L: 20 W: 7.4 H: 20 cm



IP65



KEEN - 9270015
Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm



KEEN - 9270016
Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm





IP65



TUNE . 9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE . 9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE . 9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



TUNE . 9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



DROPLET . 9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



DROPLET . 9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm




IP65

NEW



SANTO • 9020933

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm




NEW




SANTO • 9020932

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm




ZENITH • 713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm



ZENITH • 713514


Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm



IP44


ZENITH • 713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



ZENITH • 713114

Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



ZENITH • 713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



IP44






SPIKES

IP65




Rotating
& Adjustable



FEND • 9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm




Rotating
& Adjustable



FEND • 9271491
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm




Rotating
& Adjustable



FEND • 9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm




Rotating
& Adjustable



FEND • 9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating
& Adjustable



FEND • 9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm





STAKE • 9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 9 H: 33 cm




STAKE • 9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24.6° IP65
D: 6.5 W: 11 H: 35 cm



STAKE • 9971455

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 7 H: 45 cm



KIMIKO • 9026126

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



KIMIKO • 9026127

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm



KIMIKO • 9026128

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm





Adjustable

INSIDE - 9010001

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



Adjustable

INSIDE - 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



Adjustable

INSIDE - 9010002


Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



Adjustable

INSIDE - 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



BASE - 9010006


Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



Adjustable

MINI - 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54 GU10



Adjustable




NORTH - 9240677
Black Aluminium & Glass
LED 10 Watt 700Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm





Adjustable



NORTH - 9240678
Black Aluminium & Glass
LED 20 Watt 1500Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm





Adjustable




NORTH - 9240679
Black Aluminium & Glass
LED 30 Watt 2800Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm





Adjustable



NORTH - 742071
Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm



IP65





Adjustable



INSIDE - 767801
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 11 H: 20 cm





Adjustable



INSIDE - 875409
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 7.5 W: 15 H: 36 cm





CEILING

NEW



FOCUS • 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS • 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



CECI - 9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



CECI - 9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



CERISE - 9020021
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE - 9040021
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE - 9020061
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



CERISE - 9040061
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm




CERISE - 9020022
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm




CERISE - 9040022
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm



IP65



OLIVER - 9944603
Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm




OLIVER - 9944602
Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



TOMMY - 9521001
Dark Gray ABS & Acrylic Diffuser
LED 30 Watt 2400Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm



TOMMY - 9521002
Dark Gray ABS & Acrylic Diffuser
LED 24 Watt 1920Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm






LOFT
SPOT




BLADE - 9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE - 9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE - 9232119

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE - 9232120

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



Rotating

BLADE - 9232117


White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating

BLADE - 9232118

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



IP65





PORTABLE



IP54

USB CHARGER


NEW



FUMO - 9002863

Dimmable

White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 W: 11.8 H: 30 cm



NEW



FUMO - 9002864

Dimmable

Black Aluminium
& Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 W: 11.8 H: 30 cm




NEW



FABIO - 9492441

Dimmable

Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC3.7 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 W: 19 H: 38 cm



Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs



Charging time: 4.5hrs

- Touch 1: 100% of light - 10hrs
- Touch 2: 50% of light - 20 hrs



NEW

USB CHARGER


NEW



SEINA - 9223403

Dimmable

Sandy Brown Aluminium
& Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



SEINA - 9223405

Dimmable

Sandy Green Aluminium
& Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



SEINA - 9223404

Dimmable

Sandy Grey Aluminium
& Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



IONI - 9223415

Dimmable

Sandy White Aluminium
& Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm




NEW



IONI - 9223411

Dimmable

Sandy Black Aluminium
& Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm




NEW




IONI - 9223412

Dimmable

Sandy Brown Aluminium
& Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm




NEW



IONI - 9223414

Dimmable

Sandy Green Aluminium
& Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm




NEW



IONI - 9223414


Dimmable

Sandy Grey Aluminium
& Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm






Charging time: 4.5hrs
• Touch 1: 100% of light - 10hrs
• Touch 2: 50% of light - 20 hrs




NEW



SEINA - 9223406
Dimmable
Sandy Black Aluminium
& Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off /
USB Type C Wire or
PG recharging Base code: 9223408
D: 11.4 H: 39.5 cm



NEW



SEINA - 9223407
Dimmable
Sandy White Aluminium
& Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off /
White USB Type C Wire or
PG recharging Base code: 9223408
D: 11.4 H: 39.5 cm



SEINA - 9223408
Sandy Black Aluminium
PG recharging Base compatible
with codes 9223406 & 9223407

SEINA - 9223409
Black adapter 5V 2A

SEINA - 9223410
White adapter 5V 2A





IP54 **PORTABLE**

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs



COLT • 9223400
Dimmable
Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT • 9223401
Dimmable
Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT • 9121912
Dimmable
Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT • 9121911
Dimmable
Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm






Charging time: 4-5hrs
• Touch 1: 100% of light - 7-8hrs
• Touch 2: 5% of light - 180 hrs

IP54




ROSE - 9281380



White Aluminium
& Acrylic
LED 1 Watt 240Lm
3000K 3.7 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



ROSE - 9281381



Black Aluminium
& Acrylic
LED 1 Watt 215Lm
3000K 3.7 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm







NEW



VERHAAL - 9002862

Dimmable
Black Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 220-240 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
D: 16 W: 16 H: 47.5 cm




- Charging time: 7-10hrs
- Touch 1: 100% of light - 4hrs
 - Touch 2: 40% of light - 10 hrs
 - Touch 3: 10% of light - 50 hrs

NEW



VERHAAL - 9002861

Dimmable
White Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 220-240 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
D: 16 W: 16 H: 47.5 cm




NEW



JIGRA - 9002876

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 200Lm
3000K 220-240 Volt
Beam Angle 306° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22.8 cm




NEW



JIGRA - 9002877

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 210Lm
3000K 220-240 Volt
Beam Angle 339° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22 cm



IP54

PORTABLE




SOLAR




IP65 PORTABLE 



FIGI - 9923500
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 215Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm



FIGI - 9922350
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 215Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm



 USB
CHARGER




NEW




IP54

MOCHA - 9492700
Anthracite die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm
3000K DC 3.7V
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm







BALI • 9922360
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm



BALI • 9922510
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



- Charging time: 3hrs
- Touch 1: 100% of light - 4hrs
 - Touch 2: 40% of light - 10 hrs
 - Touch 3: 10% of light - 50 hrs



NEW

VENEDO • 9002865
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 220-240 Volt
180 Lm 3000K IP54
D: 10.2 W: 10.2 H: 15 cm




IP65

PORTABLE



IP54





STEP LIGHTS



LIV - 9018062

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm



LIV - 9018061

White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm




NEW



VISION - 9492690

Anthracite die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 34Lm
3000K 220-240V
Beam Angle 50° IP54
L: 10 W: 2.9 H: 6.7 cm




NEW




RIO - 9492670

Anthracite die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
L: 22.7 W: 3.5 H: 12.7 cm




NEW




FINLO - 9117080
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm

NEW




FINLO - 9117086
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm

NEW



FINLO - 9117084
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm



9117082
Grey Aluminium
LED 2 Watt 111Lm
3000K 220-240V IP65
HEP DRIVER
Compatible with: 9117080,
9117084, 9117086
L: 6.5 W: 6.7 H: 3.9 cm



IP65






KRYPTON - 710446

Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm




KRYPTON - 726408

Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm




KRYPTON - 752250

Dark Gray Aluminium
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




LUTON - 8403624

Dark Gray ABS
LED 1.2 Watt
90Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm




LUTON - 8403622

Dark Gray ABS
LED 1.6 Watt
100Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON - 8403626

Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm




NEW



ARNE - 9492680

Anthracite die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 39Lm
3000K 220-240V
Beam Angle 50° IP54
D: 12 W: 2.9 H: 12 cm




NEW




BRIGI - 9020927

Dark Grey Acrylic cover
& Diffuser
LED RC1.2 Watt 158.99Lm
3000K 220-240V IP65
D : 11 W: 11 H: 3.1 cm



IP54





JOYA - 9944141

Sandy Black Aluminium
LED 3 Watt 48Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm





JOYA - 9944142

Sandy Black Aluminium
LED 3 Watt 54Lm
3000K 100-240 Volt 50Hz
Beam Angle 19° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



COVE - 9083011

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm




IP54



COVE - 9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm





IP54



PULSAR . 812302

Dark Gray ABS
LED 4 Watt 320Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm



PULSAR . 811201

Dark Gray ABS
LED 2 Watt 160Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



PULSAR . 812102

Dark Gray ABS
LED 4 Watt 320Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



PULSAR . 811502

Dark Gray ABS
LED 2 Watt 160Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR . 811501

Dark Gray ABS
Acrylic White Diffuser
LED 4 Watt 320Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm



PULSAR . 812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



PULSAR . 812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



IP54

IP54




Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° **IP54**
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm




Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




White Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




White Aluminium
LED 1.5 Watt 145Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



Dark Gray Aluminium
LED 1.5 Watt 145Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm





White Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



White Aluminium
& Clear Glass
LED 3 Watt 11Lm 3000K
600mA 100-240V
Beam Angle 148° **IP54**
L: 13.5 W: 5 H: 6.5 cm



White Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



IP54





PASSAGIO - 8090801

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045418

Black Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045514

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 8058001

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9031616

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170




PASSAGIO - 9002601


White Aluminium
LED Chip Cree 2 Watt 80Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54



IP67 WATERPROOF



BANG - 9019212
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



BANG - 9019213
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



BANG - 9203113
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



BANG - 9203111
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 9203112
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 8038801
White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8038401
White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8039001
White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



DRIVER - 9020170



Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170






WALL WASHER

Rotation 30°



WALL WASHER - 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 36 Watt 3670Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



BRACKET - 9011163

Brackets for 9011162
2pcs Included



CONTROLLER - 9011101

DMX CONTROLLER
Used to Control Max 1000 pcs

IP67 WATERPROOF




Rotation 30°



WALL WASHER - 9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 48 Watt 4700Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011164


Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt




RGB




INSTALLATION



CONNECTION: 9011161 - 9011162




CONNECTION: 9011164






IP67 WATERPROOF / ULTRA THIN




INSTALLATION



IP65 WATERPROOF / ULTRA THIN / 7°



INSTALLATION



**ULTRA NARROW
 BEAM ANGLE 7°
 IP67 WATERPROOF**

